

Available counterparties

Обновлено 23.07.2018

Содержание:

- General information
- List of available counterparties
 - Method request
 - Request example
 - Description of parameters
 - Method response
 - Response example
 - Description of parameters

General information

This service allows you to get the list of counterparties with information about the access level or the status of access request.

List of available counterparties

Each personal account may have access to few counterparties, that is, it may have a right to process orders, get information about the settlements and perform other actions on behalf of different counterparties.

This method allows:

- to get basic information about counterparties that are available for certain personal account;
- to get full information about counterparties that are available for certain personal account;
- to get information about rejected counterparties;
- to change the current counterparty in the personal account.

Method request

Request example

Method address: <https://api.dellin.ru/v1/customers/counteragents.json>

```
{
  "appkey": "00000000-0000-0000-000000000000",
  "sessionID": "00000000-0000-0000-0000-000000000000",
  "cauid": "00000000-0000-0000-0000-000000000001",
  "full_info": true
}
```

Description of parameters

Request

Parameter	R*	Type	Description
appkey	Yes	string	Application key. To get the key, register
sessionID	Yes	string	To get the session ID, use the User Authorization method
cauid	No	string	UID of the counterparty that needs to be chosen in order to perform operations on its behalf during the current session. It's possible to change the default counterparty to the needed one by using this parameter.
full_info	No	boolean	Flag for requesting full information about all available counterparties and the list of rejected counterparties

Method response

Response example

```

{
  "counteragents": [
    {
      "info": {
        "shared_to": [
          {
            "phone": "+7 (111) 111-11-11",
            "name": "ФЮО",
            "email": "Pushkino_auto@dellin.ru"
          },
          {
            "phone": "+7 (444) 444-44-44",
            "name": "ФЮО",
            "email": "Petr.Petrov@dellin.ru"
          }
        ],
        "access_level": 2,
        "request_comment": null,
        "manager_email": "Ivan.Ivanov@dellin.ru",
        "manager_phone": "+7 (911) 232-95-50",
        "shared_from": {
          "phone": "+7 (111) 111-11-11",
          "name": "ФЮО",
          "email": "ssidorov@dellin.ru"
        },
        "manager_name": "Иванов Иван Иванович"
      },
      "is_current": true,
      "uid": "00000000-0000-0000-0000-000000000000",
      "name": "ООО \"Компания\"",
      "cash_on_delivery_available": true
    }
  ]
}

```

Description of parameters

Response

Parameter	Type	Description
counteragents	array of Response.Counteragents	Array of available counterparties

Response.Counteragents

Parameter	Type	Description
info	Response.Counteragents.Info	Full information about the counterparties
is_current	boolean	Indicator showing whether counterparty is the current one in the personal account. If request contained parameter "cauid" with counterparty UID, then the answer will contain parameter "is_current" = "true" for that counterparty
uid	string	Counterparty UID
name	string	Counterparty name
cash_on_delivery_available	boolean	Indicator showing whether counterparty may process orders with cash on delivery

Response.Counteragents.Info

Parameter	Type	Description
shared_to	array of Response.Counteragents.Info.SharedTo	Information about the users who have access to the the personal account
access_level	integer	Current access level: <ul style="list-style-type: none"> 0 = access request in process 1 = access denied 2 = full access 3 = partial access
request_comment	string	Comment (in case of denial of access)
manager_email	string	E-mail of client manager
manager_phone	string	Phone number of client manager
shared_from	object	Information about the user who granted access to the personal account
— shared_from.phone	string	User phone number
— shared_from.name	string	User full name

— shared_from.email	string	User e-mail
manager_name	string	Full name of client manager

Response.Counteragents.Info.SharedTo

Parameter	Type	Description
phone	string	Phone number of the user who has access to the the personal account
name	string	User full name
email	string	User e-mail