

# Verification

Обновлено 01.12.2021

## Содержание:

- [General information](#)
- [Example 1](#)
  - [Request](#)
  - [Response](#)
- [Example 2](#)
  - [Request](#)
  - [Response](#)
- [Example 3](#)
  - [Request](#)
  - [Response](#)
- [Example 4](#)
  - [Request](#)
  - [Response](#)
- [Example 5](#)
  - [Request](#)
  - [Response](#)
- [Example 6](#)
  - [Request](#)
  - [Response](#)

## General information

To check whether it is possible to order additional services (hand over the cargo to the forwarding driver on the day of order, delivery date insurance, packaging, etc) use [https://api.dellin.ru/v1/public/request\\_conditions](https://api.dellin.ru/v1/public/request_conditions) method, for method's description, see ["Order limitations"](#).

## Example 1

<b>Service</b>	To hand over the cargo to the forwarding driver at the sender's address on the day of order
<b>From</b>	Moscow
<b>To</b>	St. Petersburg
<b>Transportation type</b>	By truck
<b>Dispatch conditions</b>	From the address of the sender
<b>Delivery conditions</b>	To the address of the receiver

## Request

Method address: [https://api.dellin.ru/v1/public/request\\_conditions.json](https://api.dellin.ru/v1/public/request_conditions.json)

```
{
  "appkey": "00000000-0000-0000-0000-000000000000",
  "sessionID": "00000000-0000-0000-0000-000000000000",
  "blocks": [
    "day_to_day"
  ],
  "derivalPoint": "770000000000000000000000",
  "arrivalPoint": "780000000000000000000000",
  "volume": "3",
  "weight": "10",
  "deliveryType": 1,
  "derivalDoor": true,
  "arrivalDoor": true
}
```

## Response

```
{
  "day_to_day":{
    "same_day_pickup_allowed":true,
    "minimal_pickup_period":4,
    "minimal_same_day_pickup_period":2,
    "same_day_pickup_ends_at":"16:00:00",
    "terminal_id":36
  }
}
```

## Example 2

<b>Service</b>	To hand over the cargo to the forwarding driver at the sender's address on the day of order
<b>From</b>	Anapa
<b>To</b>	Krasnodar
<b>Transportation type</b>	By truck
<b>Dispatch conditions</b>	From the address of the sender
<b>Delivery conditions</b>	To the terminal of the receiver

### Request

Method address: [https://api.dellin.ru/v1/public/request\\_conditions.json](https://api.dellin.ru/v1/public/request_conditions.json)

```
{
  "appkey":"00000000-0000-0000-0000-000000000000",
  "sessionID":"00000000-0000-0000-0000-000000000000",
  "blocks":[
    "day_to_day"
  ],
  "derivalPoint":"23003001000000000000000000",
  "arrivalPoint":"23000001000000000000000000",
  "volume":"5",
  "weight":"20",
  "arrivalTerminalID":93,
  "deliveryType":1,
  "derivalDoor":true,
  "arrivalDoor":false
}
```

### Response

```
{
  "day_to_day":{
    "same_day_pickup_allowed":true,
    "minimal_pickup_period":0,
    "minimal_same_day_pickup_period":4,
    "same_day_pickup_ends_at":"18:00:00",
    "terminal_id":84
  }
}
```

## Example 3

<b>Service</b>	Packaging for the cargo: <ul style="list-style-type: none"> <li>• cargo volume - 20 m3;</li> <li>• cargo weight - 45 kg</li> </ul>
<b>From</b>	Moscow
<b>To</b>	St. Petersburg
<b>Transportation type</b>	Air transportation
<b>Dispatch conditions</b>	From the terminal of the sender
<b>Delivery conditions</b>	To the terminal of the receiver

### Request

Method address: [https://api.dellin.ru/v1/public/request\\_conditions.json](https://api.dellin.ru/v1/public/request_conditions.json)

```
{
  "appkey": "00000000-0000-0000-0000-000000000000",
  "sessionID": "00000000-0000-0000-0000-000000000000",
  "blocks": [
    "packages"
  ],
  "derivalPoint": "770000000000000000000000",
  "arrivalPoint": "780000000000000000000000",
  "volume": "20",
  "weight": "45",
  "derivalTerminalID": 119,
  "arrivalTerminalID": 32,
  "deliveryType": 6,
  "derivalDoor": false,
  "arrivalDoor": false
}
```

## Response

```
{
  "packages": [
    {
      "uid": "0x8783b183e825d40d4eb5c21ef63fbbfb",
      "incompatible_uids": [
        "0x838fc70baeb49b564426b45b1d216c15"
      ]
    },
    {
      "uid": "0x951783203a254a05473c43733c20fe72",
      "incompatible_uids": [
      ]
    },
    {
      "uid": "0x9a7f11408f4957d7494570820fcf4549",
      "incompatible_uids": [
        "0x84f7578779ae4a44e3dfc8b96d80e08"
      ]
    },
    {
      "uid": "0x9dd8901b0ecef10c11e8ed001199bf6e",
      "incompatible_uids": [
        "0x9dd8901b0ecef10c11e8ed001199bf71",
        "0xb9f594d27a2d31b440a647d19547543c"
      ]
    },
    {
      "uid": "0x9dd8901b0ecef10c11e8ed001199bf70",
      "incompatible_uids": [
        "0x9dd8901b0ecef10c11e8ed001199bf6f"
      ]
    },
    {
      "uid": "0xa8b42ac5ec921a4d43c0b702c3f1c109",
      "incompatible_uids": [
      ]
    },
    {
      "uid": "0xad22189d098fb9b84eec0043196370d6",
      "incompatible_uids": [
      ]
    }
  ]
}
```

## Example 4

Service	Handling: <ul style="list-style-type: none"><li>• cargo volume - 19 m3;</li><li>• cargo weight - 80 kg</li></ul>
From	Moscow
To	St. Petersburg
Transportation type	By truck
Dispatch conditions	From the address of the sender
Delivery conditions	To the address of the receiver

## Request

Method address: [https://api.dellin.ru/v1/public/request\\_conditions.json](https://api.dellin.ru/v1/public/request_conditions.json)

```
{
  "appkey": "00000000-0000-0000-0000-000000000000",
  "sessionID": "00000000-0000-0000-0000-000000000000",
  "blocks": [
    "loadings"
  ],
  "derivalPoint": "770000000000000000000000",
  "arrivalPoint": "780000000000000000000000",
  "volume": "19",
  "weight": "80",
  "deliveryType": 1,
  "derivalDoor": true,
  "arrivalDoor": true
}
```

## Response

```
{
  "loadings": {
    "sender": [
      "0xb83b7589658a3851440a853325d1bf69",
      "0xabb9c63c596b08f94c3664c930e77778",
      "0x92fce2284f00b0241dad7c2e88b1655",
      "0x88f93a2c37f106d94ff9f7ada8efe886",
      "0x9951e0ff97188f6b4b1b153dfde3cfec",
      "0x818e8ff1eda1abc349318a478659af08"
    ],
    "receiver": [
      "0xb83b7589658a3851440a853325d1bf69",
      "0xabb9c63c596b08f94c3664c930e77778",
      "0x92fce2284f00b0241dad7c2e88b1655",
      "0x88f93a2c37f106d94ff9f7ada8efe886",
      "0x9951e0ff97188f6b4b1b153dfde3cfec",
      "0x818e8ff1eda1abc349318a478659af08"
    ]
  }
}
```

## Example 5

<b>Service</b>	Delivery date insurance
<b>From</b>	Moscow
<b>To</b>	St. Petersburg
<b>Transportation type</b>	By truck
<b>Dispatch conditions</b>	From the address of the sender
<b>Delivery conditions</b>	To the address of the receiver

## Request

Method address: [https://api.dellin.ru/v1/public/request\\_conditions.json](https://api.dellin.ru/v1/public/request_conditions.json)

```
{
  "appkey": "00000000-0000-0000-0000-000000000000",
  "sessionID": "00000000-0000-0000-0000-000000000000",
  "blocks": [
    "insurance"
  ],
  "derivalPoint": "770000000000000000000000",
  "arrivalPoint": "780000000000000000000000",
  "volume": "5",
  "weight": "2",
  "deliveryType": 1,
  "derivalDoor": true,
  "arrivalDoor": true
}
```

## Response

```
{
  "insurance": {
    "term_insurance_available": 3
  }
}
```

## Example 6

<b>Service</b>	To hand over the cargo to the forwarding driver at the sender's address on the day of order
<b>Delivery date insurance</b>	

	Handling:
	<ul style="list-style-type: none"> <li>• cargo volume - 10 m3;</li> <li>• cargo weight - 5 kg</li> </ul>
<b>From</b>	Moscow
<b>To</b>	St. Petersburg
<b>Transportation type</b>	Express transportation
<b>Dispatch conditions</b>	From the address of the sender
<b>Delivery conditions</b>	To the address of the receiver

## Request

Method address: [https://api.dellin.ru/v1/public/request\\_conditions.json](https://api.dellin.ru/v1/public/request_conditions.json)

```
{
  "appkey": "00000000-0000-0000-0000-000000000000",
  "sessionID": "00000000-0000-0000-0000-000000000000",
  "blocks": [
    "day_to_day",
    "loadings",
    "insurance"
  ],
  "derivalPoint": "770000000000000000000000",
  "arrivalPoint": "780000000000000000000000",
  "volume": "10",
  "weight": "5",
  "deliveryType": 4,
  "derivalDoor": true,
  "arrivalDoor": true
}
```

## Response

```
{
  "loadings": {
    "sender": [
      "0xb83b7589658a3851440a853325d1bf69",
      "0xab9c63c596b08f94c3664c930e77778",
      "0x92fce2284f00b0241dad7c2e88b1655",
      "0x88f93a2c37f106d94ff9f7ada8efe886",
      "0x9951e0ff97188f6b4b1b153dfde3cfec",
      "0x818e8ff1eda1abc349318a478659af08"
    ],
    "receiver": [
      "0xb83b7589658a3851440a853325d1bf69",
      "0xab9c63c596b08f94c3664c930e77778",
      "0x92fce2284f00b0241dad7c2e88b1655",
      "0x88f93a2c37f106d94ff9f7ada8efe886",
      "0x9951e0ff97188f6b4b1b153dfde3cfec",
      "0x818e8ff1eda1abc349318a478659af08"
    ]
  },
  "day_to_day": {
    "same_day_pickup_allowed": true,
    "minimal_pickup_period": 4,
    "minimal_same_day_pickup_period": 2,
    "same_day_pickup_ends_at": "23:00:00",
    "terminal_id": 36
  },
  "insurance": {
    "term_insurance_available": 2
  }
}
```